L Number	Hits	1	DB	Time stamp
28	1	5748882.pn.	USPAT	2004/06/29 08:16
69	5	application\$level near6 (fault adj toleran\$3)	USPAT; US-PGPUB;	2004/06/29 10:11
		Colclanys	IBM TDB	
70	1	strigini.inv.	USPAT;	2004/06/29 10:04
		_	US-PGPUB;	
			IBM_TDB]
71	2	strigini.inv.	USPAT;	2004/06/29 10:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
72	1	application\$level near6 (fault adj	EPO; JPO;	2004/06/29 10:02
'2	1	toleran\$3)	DERWENT	2004,00,23 10.02
73	0		USPAT;	2004/06/29 10:04
			US-PGPUB;	
			IBM_TDB	
74	2	application\$level near6 (watchdog)	USPAT;	2004/06/29 10:17
			US-PGPUB; IBM TDB	
75	32	 kernel near6 (watchdog)	USPAT;	2004/06/29 10:18
'	32	ACTUSE HEATO (MATCHAOY)	US-PGPUB;	
			IBM_TDB	
76	22	kernel near3 (watchdog)	USPAT;	2004/06/29 10:18
			US-PGPUB;	
			IBM_TDB	2004/06/00 10:02
77	20	kernel adj3 (watchdog)	USPAT; US-PGPUB;	2004/06/29 10:23
			IBM TDB	
78	1	kernel adj3 (watchdog adj driver)	USPAT;	2004/06/29 10:18
, ,	-	Nether days (naconacy day direct)	US-PGPUB;	
			IBM TDB	
79	2	kernel near3 (watchdog adj driver)	USPAT;	2004/06/29 10:18
1			US-PGPUB;	
			IBM_TDB	2004/06/20 20-10
80	2	kernel near6 (watchdog adj driver)	USPAT; US-PGPUB;	2004/06/29 10:18
			IBM TDB	
81	2	(kernel adj mode) with (watchdog adj	USPAT;	2004/06/29 10:24
		driver)	US-PGPUB;	
			IBM_TDB	
82	0	,	EPO; JPO;	2004/06/29 10:23
00	0	driver)	DERWENT EPO; JPO;	2004/06/29 10:23
83	0	(kernel adj mode) with (watchdog)	DERWENT	2004/06/29 10:23
84	0	(kernel adj mode) same (watchdog)	EPO; JPO;	2004/06/29 10:23
	J		DERWENT	
85	2	(kernel adj mode) same (watchdog adj	USPAT;	2004/06/29 10:24
		driver)	US-PGPUB;	
	_		IBM_TDB	2004/06/20 10:05
86	3	(kernel adj mode) same (watchdog)	USPAT; US-PGPUB;	2004/06/29 10:25
			IBM TDB	1
88	2	watch\$dog adj interface	USPAT;	2004/06/29 10:25
	_		US-PGPUB;	
			IBM_TDB	
90	3		USPAT;	2004/06/29 10:55
[with (period\$3 or regular\$3 or interval or	US-PGPUB;	
01	0	<pre>predetermin\$3)) (watch\$dog adj2 interface) and</pre>	IBM_TDB USPAT;	2004/06/29 10:36
91	U	(watchadog adj2 interface) and (application\$level)	US-PGPUB;	2007/00/29 10:30
		\approduction	IBM TDB	
89	14	watch\$dog adj2 interface	USPAT;	2004/06/29 10:36
			US-PGPUB;	
			IBM_TDB	
87	3	(kernel adj mode) same (watch\$dog)	USPAT;	2004/06/29 12:10
			US-PGPUB;	
			IBM_TDB	I

92	0	(coordinat\$4 near3 (timer adj event))with scheduler	USPAT; US-PGPUB;	2004/06/29 11:02
93	2	<pre>(watch\$dog adj driver)with (operat\$4 adj3 kernel)</pre>	IBM_TDB USPAT; US-PGPUB;	2004/06/29 12:03
94	2	(kernel adj mode) and (watch\$dog adj driver)	IBM_TDB USPAT; US-PGPUB;	2004/06/29 12:10
95	7	(kernel adj mode) and (watch\$dog adj timer)	IBM_TDB USPAT; US-PGPUB;	2004/06/29 12:39
96	1	5390324.pn.	IBM_TDB USPAT; US-PGPUB;	2004/06/29 12:41
97	1	6125449.pnpn.	IBM_TDB USPAT; US-PGPUB;	2004/06/29 12:42
98	1	6212592.pnpn.	IBM_TDB USPAT; US-PGPUB;	2004/06/29 13:33
99	1	5978911.pn.	IBM_TDB USPAT; US-PGPUB; IBM_TDB	2004/06/29 13:51
101	3	watch\$dog adj3 driver	EPO; JPO; DERWENT	2004/06/29 13:52
100	13	watch\$dog adj3 driver	USPAT; US-PGPUB;	2004/06/29 13:53
-	4	(watch\$dog adjtim\$4)with (application adj level)	IBM_TDB USPAT; US-PGPUB; IBM TDB	2004/06/25 13:30
-	3	(watch\$dog adj tim\$4)near6 (application adj level)	USPAT; US-PGPUB; IBM TDB	2004/06/25 13:33
-	3	(watch\$dog adj tim\$4)with (application adj level)	USPAT; US-PGPUB; IBM TDB	2004/06/25 13:32
-	3	<pre>(watch\$dog adj tim\$4)with (application adj (layer or level))</pre>	USPAT; US-PGPUB; IBM TDB	2004/06/25 13:32
-	8	(watch\$dog adj tim\$4)same (application adj level)	USPAT; US-PGPUB; IBM TDB	2004/06/25 14:26
-	4	(watch\$dog)with (application adj level)	USPAT; US-PGPUB; IBM TDB	2004/06/25 13:32
-	4	(watch\$dog)near6 (application adj level)	USPAT; US-PGPUB; IBM TDB	2004/06/25 13:33
-	4	(watch\$dog)near6 (application adj (layer or level))	USPAT; US-PGPUB; IBM TDB	2004/06/25 13:33
-	193	(watch\$dog)near6 (application)	USPAT; US-PGPUB;	2004/06/25 13:33
-	75	(watch\$dog adj timer)near6 (application)	IBM_TDB USPAT; US-PGPUB;	2004/06/25 13:35
-	2	(watch\$dog adj timer)near6 (application adj (layer or level))	IBM_TDB USPAT; US-PGPUB; IBM TDB	2004/06/25 13:34
-	2	((watch\$dog adj timer)near6 (application)) same (application adj (level or layer))	USPAT; US-PGPUB; IBM TDB	2004/06/25 13:38
-	7	((watch\$dog adj timer)near6 (application)) and (application adj (level or layer))	USPAT; US-PGPUB; IBM TDB	2004/06/25 13:55
-	1	((watch\$dog adj timer)near6 (application)) same (software adj watchdog)	USPAT; US-PGPUB; IBM TDB	2004/06/25 13:38
				·

-	6	((watch\$dog)near6 (application)) same	USPAT;	2004/06/25 14:13
ŀ		(software adj watchdog)	US-PGPUB;	
	_		IBM_TDB	2004/06/05 12 55
-	2	((application near5 ((up\$time or	USPAT;	2004/06/25 13:55
		initiali\$8 or start\$4 or run\$6))) with	US-PGPUB;	
		(watchdog)) and (protect\$4 adj (level or	IBM_TDB	
	8	layer)) ((application near5 ((up\$time or	USPAT;	2004/06/25 13:56
-	8	initiali\$8 or start\$4 or run\$6))) with	US-PGPUB;	2004/00/25 15:50
		(watchdog)) and (application adj (level or	IBM TDB	
		layer))	1511_155	
_	34	(application near5 ((up\$time or initiali\$8	USPAT;	2004/06/25 14:12
l]	or start\$4 or run\$6))) with (watchdog)	US-PGPUB;	
		02 0002041 02 2 mily 0, / , mass (mass mass)	IBM TDB	
-	178	(application near5 ((up\$time or initiali\$8	USPAT;	2004/06/25 14:13
		or start\$4 or run\$6))) with (reliability	US-PGPUB;	İ
		or reliabl\$3)	IBM TDB	
-	0	((application near5 ((up\$time or	USPAT;	2004/06/25 14:14
		initiali\$8 or start\$4 or run\$6))) with	US-PGPUB;	
		(reliability or reliabl\$3)) and (software	IBM_TDB	İ
	,	adj watchdog)		
-	10	((application near5 ((up\$time or	USPAT;	2004/06/25 14:14
		initiali\$8 or start\$4 or run\$6))) with	US-PGPUB;	
		(reliability or reliabl\$3)) and (IBM_TDB	
		watchdog)	DDO: TDO:	2004/06/25 14:25
-	1	<pre>(watch\$dog adj tim\$4)same (application adj /lavar or level))</pre>	EPO; JPO; DERWENT	2004/06/25 14:25
		(layer or level)) (watch\$doq adj tim\$4)and (application adj	EPO; JPO;	2004/06/25 14:23
_	2	(watchagog adj tima4) and (application adj	DERWENT	2004/00/25 14:25
_	1	(watch\$dog)same (application adj (layer	EPO; JPO;	2004/06/25 14:25
-		or level))	DERWENT	2004,00,23 14.23
_	1	(watchdog)same (application adj (layer or	EPO; JPO;	2004/06/25 14:25
		level))	DERWENT	
_	2	(watchdog) and (application adj (layer or	EPO; JPO;	2004/06/25 14:26
	-	level))	DERWENT	
_	347	<pre>(watch\$dog adj (driver or tim\$4))same</pre>	USPAT;	2004/06/25 14:27
		(application)	US-PGPUB;	
			IBM_TDB	
-	145	(watch\$dog adj (driver or tim\$4))with	USPAT;	2004/06/25 14:27
		(application)	US-PGPUB;	
			IBM_TDB	
-	111	((watch\$dog adj (driver or tim\$4))with	USPAT;	2004/06/25 14:27
	1	(application)) and computer	US-PGPUB;	
	ا ۾	///	IBM_TDB	2004/06/25 14:20
-	2	(((watch\$dog adj (driver or tim\$4))with	USPAT; US-PGPUB;	2004/06/25 14:28
		(application)) and computer) and	IBM TDB	
_	3	<pre>(protect\$4 adj (layer or level)) ((watch\$dog adj (driver or tim\$4))same</pre>	USPAT;	2004/06/25 14:30
-	3	(watchadog ad) (driver of tima4) same (application)) and (protect\$4 adj (layer	US-PGPUB;	2003/00/23 14.30
		or level))	IBM TDB	
_	107	((operating adj system)or os)with	USPAT;	2004/06/25 14:29
	**	(protect\$4 adj (layer or level))	US-PGPUB;	
		\(\frac{1}{2} = \frac{1}{2} =	IBM TDB	
-	2	(((operating adj system)or os)with	USPAT;	2004/06/25 14:31
	_	(protect\$4 adj (layer or level))) and	US-PGPUB;	
		(application near5 watch\$dog)	IBM_TDB	
-	2	(((operating adj system)or os)with	USPAT;	2004/06/25 14:31
		(protect\$4 adj (layer or level))) and	US-PGPUB;	
		(application same watch\$dog)	IBM_TDB	
-	2	(((operating adj system)or os)with	USPAT;	2004/06/25 14:47
		(protect\$4 adj (layer or level))) and	US-PGPUB;	
	ا <u>۾</u> ا	(application and watch\$dog)	IBM_TDB	2004/06/25 14:21
-	2	(((operating adj system)or os)with	USPAT; US-PGPUB;	2004/06/25 14:31
		<pre>(protect\$4 adj (layer or level))) and (watch\$dog)</pre>	IBM TDB	
	6	watchsdog) (((operating adj system)or os)with	USPAT;	2004/06/25 14:46
_	ا	(((operating ad) system/or os/with (protect\$4 adj (layer or level))) and	US-PGPUB;	2004/00/23 14:40
		(application near5 (supervis\$4 or observ\$5	IBM TDB	
		or eye or monitor\$4 or watch\$dog))		
L		1		I

				10001/05/05 11 70
-	112		USPAT;	2004/06/25 14:48
		level)) near5 (supervis\$4 or observ\$5 or	US-PGPUB;	
<u> </u>	-	eye or monitor\$4 or watch\$dog)	IBM_TDB USPAT;	2004/06/25 14:48
-	5	((application\$level or (application adj level)) near5 (supervis\$4 or observ\$5 or	US-PGPUB;	2004/00/23 14.48
		eye or monitor\$4 or watch\$dog)) and	IBM_TDB	
	100	(application with watch\$dog) (application\$level or (application adj	USPAT;	2004/06/25 14:48
-	100	(application sievel of (application ad) level)) near5 (supervis\$4 or monitor\$4	US-PGPUB;	2004/00/25 14:40
		or watch\$dog)	IBM TDB	
	164	(application\$level or (application adj	USPAT;	2004/06/25 14:48
-	104	level)) with (supervis\$4 or monitor\$4 or	US-PGPUB;	2001,00,20 21110
		watch\$dog)	IBM TDB	
_	5	((application\$level or (application adj	USPĀT;	2004/06/25 14:49
		level)) with (supervis\$4 or monitor\$4 or	US-PGPUB;	
		watch\$dog)) and (application with	IBM_TDB	
		watch\$dog)	_	
-	10	((application\$level or (application adj	USPAT;	2004/06/25 14:49
l i		level)) with (supervis\$4 or monitor\$4 or	US-PGPUB;	
		watch\$dog)) and (application same	IBM_TDB	
		watch\$dog)		
-	603	ioctl	USPAT;	2004/06/28 09:23
			US-PGPUB;	
		[, , , , , , , , , , , , , , , , , , ,	IBM_TDB	2004/06/20 20 25
-	76	ioctl near3 (input\$output adj control)	USPAT;	2004/06/28 08:05
]			US-PGPUB;	
]	4.0	(ioctl near3 (input\$output adj control))	IBM_TDB USPAT;	2004/06/28 09:23
-	19	and (watchdog near3 (driver or tim\$4))	US-PGPUB;	2004/06/28 09:23
		and (watched) hears (driver or timp4))	IBM TDB	
	48	(ioctl near3 (input\$output adj control))	USPAT;	2004/06/28 08:08
	40	and (application adj (program or	US-PGPUB;	2004,00,20 00.00
		software))	IBM TDB	
_	19	1 1 1	USPAT;	2004/06/28 08:36
		and (application adj (program or	US-PGPUB:	
		software))) and (watchdog near3 (driver or	IBM TDB	
		tim\$4))	_	
-	33		USPAT;	2004/06/28 09:26
		(application adj (software or program))	US-PGPUB;	
			IBM_TDB	
-	1	6499083.pn.	USPAT;	2004/06/28 09:20
			US-PGPUB;	
			IBM_TDB	2004/06/28 09:23
-	O	ioctl and (watchdog near3 (driver or	EPO; JPO; DERWENT	2004/06/28 09:23
	11	tim\$4))	EPO; JPO;	2004/06/28 09:23
-	11	ioctl	DERWENT	2004/00/20 03.23
_	2	(watchdog near3 (driver or timer))with	EPO; JPO;	2004/06/28 09:26
		(application adj (software or program))	DERWENT	
_	2	(watchdog near3 (program or driver or	EPO; JPO;	2004/06/28 09:26
]		timer))with (application adj (software or	DERWENT	
]		program))		
-	2	(watch\$dog near3 (program or driver or	EPO; JPO;	2004/06/28 09:28
		timer)) with (application adj (software or	DERWENT	
		program))		
-	2	(watch\$dog near3 (counter or driver or	EPO; JPO;	2004/06/28 09:42
		timer))with (application adj (software or	DERWENT	
1		program))		0001100100
-	801		EPO; JPO;	2004/06/28 09:28
		(application adj (software or program))	DERWENT	0004/06/00 00 50
-	21	(((counter or driver or timer)) with	EPO; JPO;	2004/06/28 09:53
		(application adj (software or program)))	DERWENT	
		and ((watch\$dog or monitor\$4) near3 (counter or driver or timer))		
1_	20	l '	EPO; JPO;	2004/06/28 09:30
-	20	(((counter of driver of timer)) with (application adj (software or program)))	DERWENT	2001,00,20 03.30
1		same ((watch\$dog or monitor\$4) near3		
		(counter or driver or timer))		
-	7		EPO; JPO;	2004/06/28 09:43
		timer)) and (application adj (software or	DERWENT	
		program))		

			,	T
-	39	(application adj (software or program)) and ((watch\$dog or monitor\$4) near3	EPO; JPO; DERWENT	2004/06/28 09:54
-	39	<pre>(counter or driver or timer)) (application adj (software or program)) and ((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer))</pre>	EPO; JPO; DERWENT	2004/06/28 10:10
_	5	((application adj (software or program)) and ((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer))) and	EPO; JPO; DERWENT	2004/06/28 10:11
-	1542	(period or (regular\$4 adj2 interval)) (application adj (software or program)) and ((watch\$dog or observ\$6 or monitor\$4)	USPAT; US-PGPUB; IBM TDB	2004/06/28 10:29
_	5	near3 (counter or driver or timer)) ((application adj (software or program)) and ((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer))) and	EPO; JPO; DERWENT	2004/06/28 10:12
-	369	<pre>(period\$3 or (regular\$4 adj2 interval)) ((application adj (software or program)) and ((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer))) and ((monitor\$4 or observ\$6 or watch\$dog)with ((period\$3 or (regular\$4 adj2 interval)adj3 message)))</pre>	USPAT; US-PGPUB; IBM_TDB	2004/06/28 10:14
-	56	<pre>(((application adj (software or program)) and ((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer))) and ((monitor\$4 or observ\$6 or watch\$dog)with ((period\$3 or (regular\$4 adj2 interval)adj3 message)))) and ((initiate or initializ\$7 or reset or restart)adj (service or program or application))</pre>	USPAT; US-PGPUB; IBM_TDB	2004/06/28 10:30
-	4	(((application adj (software or program)) and ((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer))) and ((monitor\$4 or observ\$6 or watch\$dog)with ((period\$3 or (regular\$4 adj2 interval)adj3 message)))) and ((predetermined or prefixed or designated or determined)same((initiate or initializ\$7 or reset or restart)adj	USPAT; US-PGPUB; IBM_TDB	2004/06/28 10:20
_	1	(service or program or application))) 4586179.pn.	USPAT; US-PGPUB; IBM TDB	2004/06/28 10:28
-	27499	714/\$.ccls.	USPĀT; US-PGPUB; IBM TDB	2004/06/28 10:28
_	1070	714/\$.ccls. and((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer))	USPAT; US-PGPUB; IBM TDB	2004/06/28 12:24
-	24	(714/\$.ccls. and((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer))) and ((application adj (software or program)) same ((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer)))	USPAT; US-PGPUB; IBM_TDB	2004/06/28 12:25
_	161	(714/\$.ccls. and((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer))) and (application adj (software or program))	USPAT; US-PGPUB; IBM_TDB	2004/06/28 10:30
-	22	<pre>((714/\$.ccls. and((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or timer))) and (application adj (software or program)) and ((initiate or initializ\$7 or reset or restart)adj (service or program or application))</pre>	USPAT; US-PGPUB; IBM_TDB	2004/06/28 12:25
-	19682	713/\$.ccls.	USPAT; US-PGPUB; IBM TDB	2004/06/28 12:24

_	728	713/\$.ccls. and ((watch\$dog or observ\$6 or	USPAT;	2004/06/28 12:25
		monitor\$4) near3 (counter or driver or timer))	US-PGPUB; IBM TDB	
	27	(713/\$.ccls. and ((watch\$dog or observ\$6	USPAT;	2004/06/28 12:25
-		or monitor\$4) near3 (counter or driver or	US-PGPUB;	
		timer))) and ((application adj (software	IBM TDB	
		or program)) same ((watch\$dog or observ\$6	_	
		or monitor\$4) near3 (counter or driver or		
		timer)))		
-	2		USPAT;	2004/06/28 12:27
		or monitor\$4) near3 (counter or driver or	US-PGPUB;	1
		timer))) and ((application adj (software	IBM_TDB	
		or program)) same ((watch\$dog or observ\$6 or monitor\$4) near3 (counter or driver or		
		timer)))) and ((initiate or initializ\$7 or		
		reset or restart) adj (service or program		
1		or application))		
_	22		USPAT;	2004/06/28 14:00
		or monitor\$4) near3 (counter or driver or	US-PGPUB;	
		timer))) and ((application adj (software	IBM_TDB	
		or program)) same ((watch\$dog or observ\$6		
		or monitor\$4) near3 (counter or driver or		
1		timer)))) and ((initiate or initializ\$7 or		
		reset or restart) same (service or program or application))		
	2	1	USPAT;	2004/06/28 14:01
		(unresponsi\$4 near5 application)	US-PGPUB;	,,,
		, and a property of the state o	IBM TDB	
_	3		USPĀT;	2004/06/28 16:07
		near3 (program or application or service))	US-PGPUB;	
			IBM_TDB	
-	2		USPAT;	2004/06/28 16:07
		near3 (computer adj (program or	US-PGPUB;	
	20041	application or service)))	IBM_TDB USPAT;	2004/06/28 16:08
-	32841	(computer near3 (program or application or service))with (detecti\$3 or determin\$7	US-PGPUB;	2004/06/28 16:08
		or identif\$8)	IBM TDB	
1_	0	((computer near3 (program or application	USPAT;	2004/06/28 16:18
	Ĭ	or service)) with (detecti\$3 or determin\$7	US-PGPUB;	
		or identif\$8)) same (("not" adj	IBM_TDB	
		respon\$6)or unreponsive or unrespond\$4)		
-	2		USPAT;	2004/06/28 16:12
		or service)) with (detecti\$3 or determin\$7	US-PGPUB;	
		or identif(\$8)) and (("not" adj respon(\$6)) or	IBM_TDB	
1	1	unreponsive or unrespond\$4) watch\$dog same (("not" adj respon\$6)or	USPAT;	2004/06/28 16:15
1-]	unreponsive or unrespond\$4)	US-PGPUB;	2004/00/20 10:13
-		antopondive of unrespondes,	IBM TDB	
_	12	watch\$dog and (("not" adj respon\$6)or	USPAT;	2004/06/28 16:14
		unreponsive or unrespond\$4)	US-PGPUB;	
		-	IBM_TDB	
-	0	watch\$dog and (("not" adj respon\$6)or	EPO; JPO;	2004/06/28 16:14
1		unreponsive or unrespond\$4)	DERWENT	2004/06/20 16 15
-	408	watch\$dog with (rest\$4 or restart\$4)	USPAT;	2004/06/28 16:15
1			US-PGPUB; IBM TDB	
1_	2535	watch\$dog with (reset\$4 or restart\$4)	USPAT;	2004/06/28 16:15
1-	2535	watchedod with (reserva or restainta)	US-PGPUB;	2304/00/20 10.13
			IBM TDB	
-	1516	(watch\$dog near3 (timer or driver))with	USPAT;	2004/06/28 16:16
		(reset\$4 or restart\$4)	US-PGPUB;	
			IBM_TDB	
-	802		USPAT;	2004/06/28 16:17
		(reset\$4 or restart\$4)) same (application	US-PGPUB;	
	_	or program or software or service)	IBM_TDB USPAT;	2004/06/28 16:18
-	0	((watch\$dog near3 (timer or driver))with (reset\$4 or restart\$4)) and (("not" adj	USPAT; US-PGPUB;	2004/00/20 10:18
		respons6)or unreponsive or unrespond\$4)	IBM TDB	
_	٥ ا		USPAT;	2004/06/28 16:18
	l	and (("not" adj respon\$6) or unreponsive or	US-PGPUB;	
1 .		unrespond\$4)	IBM_TDB	
				

-	27	((watch\$dog near3 (timer or driver))with (reset\$4 or restart\$4)) same (computer near4 (application or program or software	USPAT; US-PGPUB; IBM TDB	2004/06/28 16:33
-	13	or service)) ((watch\$dog near3 (timer or driver))with (reset\$4 or restart\$4)) same ((reset\$4 or	USPAT; US-PGPUB;	2004/06/28 16:34
		restart\$4 or terminat\$5)with(computer near4 (application or program or software or service))	IBM_TDB	